

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S1 | 0 | (key near1 database) with (door near1 admin\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:02 |
| S2 | 0 | (key near1 database) same (door near1 admin\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:02 |
| S3 | 0 | (key near4 database) same (door near1 admin\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:02 |
| S4 | 0 | (key near4 database) same (door near1 database) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:04 |
| S5 | 0 | (user with key\$1 near1 profile) same (door near1 database) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:04 |
| S6 | 64 | (user with key\$1 near1 profile) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:05 |
| S7 | 1 | (user with key\$1 near1 profile)with access\$3 with control\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:05 |
| S8 | 7712 | door with access\$3 with control\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:06 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S9 | 0 | (door with access\$3 with control\$3) with (key\$1 near1 profile\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:06 |
| S10 | 0 | (door with access\$3 with control\$3) same (key\$1 near1 profile\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:07 |
| S11 | 8 | (door with access\$3 with control\$3) and(key\$1 near1 profile\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:11 |
| S12 | 3 | (door near1 controll\$3) and(key\$1 near1 profile\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:12 |
| S13 | 10 | (door near1 controll\$3) and(key\$1 with profile\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:13 |
| S14 | 3 | (door near1 controll\$3) and(key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:14 |
| S15 | 35 | (door with controll\$3) and(key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:16 |
| S16 | 1 | "713"/\$.ccls. and(door with controll\$3) and(key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:15 |

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S17 | 1 | "380"/\$.ccls. and (door with controll\$3) and(key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:17 |
| S18 | 0 | "380"/\$.ccls. and (door near1 access\$3) and(key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:17 |
| S19 | 0 | "380"/\$.ccls. and (door\$1 near1 access\$3) and(key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:17 |
| S20 | 24 | (door\$1 near1 access\$3) and(key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:18 |
| S21 | 0 | (door\$1 near1 access\$3) and(reset\$3 with key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:19 |
| S22 | 1 | (door\$1 near1 access\$3) and(chang\$3 with key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:24 |
| S23 | 4 | (door\$1 with access\$3) and(chang\$3 with key\$1 with profile\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:27 |
| S24 | 22 | (door\$1 with access\$3) and(reset\$3 with access\$3 near1 code\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:37 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S25 | 0 | (door\$1 with access\$3) and(reset\$3 with access\$3 near1 code\$1)and @ad<="20001026" and clock near1 door | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:32 |
| S26 | 2024 | (door\$1 with access\$3) and(authorized wiht reset\$3 with access\$3 near1 code\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:37 |
| S27 | 3 | (door\$1 with access\$3) and(authorized with reset\$3 with access\$3 near1 code\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:39 |
| S28 | 4 | (door\$1 with lock\$3) and(authorized with reset\$3 with access\$3 near1 code\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:55 |
| S29 | 6 | (door\$1 same lock\$3) and(authorized with reset\$3 with access\$3 near1 code\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:56 |
| S30 | 0 | (door\$1 same lock\$3) and(authorized with reset\$3 with access\$3 near1 code\$1) and (remote with profile)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:57 |
| S31 | 0 | (authorized with reset\$3 with access\$3 near1 code\$1) and (remote with profile)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:57 |
| S32 | 0 | (reset\$3 with access\$3 near1 code\$1) and (remote with profile)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:57 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S33 | 7 | (remote with reset\$3 with access\$3 near1 code\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:59 |
| S34 | 0 | (remote with reset\$3 with authenticat\$3 near1 code\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 10:59 |
| S35 | 0 | (remote with reset\$3 with authorize\$3 near1 code\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:00 |
| S36 | 37 | (remote with reset\$3 near5 code\$1) and (door\$1 or gate\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:32 |
| S37 | 12 | (remote with reset\$3 near5 code\$1) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:34 |
| S38 | 6 | (guest with reset\$3 near5 code\$1) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:57 |
| S39 | 0 | (guest with remote\$3 with reset\$3 near5 code\$1) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:58 |
| S40 | 0 | (guest with remote\$3 with register\$3 near5 code\$1) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:58 |

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S41 | 0 | (guest with remote\$3 with register\$3) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:58 |
| S42 | 0 | (guest with change\$3 with register\$3) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:58 |
| S43 | 26 | (guest with change\$3 with code\$3) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:58 |
| S44 | 0 | (guest with remote\$3 with change\$3 with code\$3) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 11:59 |
| S45 | 26 | (guest with change\$3 with code\$3) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 12:01 |
| S46 | 5 | (guest near1 change\$3 with code\$3) and (door\$1 with lock)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 12:28 |
| S47 | 0 | (guest near1 change\$3 with code\$3) and (central near1 controll\$4)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 12:29 |
| S48 | 0 | (guest near1 change\$3 with code\$3) and (center near1 controll\$4)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 12:29 |

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S49 | 0 | (guest near1 change\$3 with code\$3) and (center near3 controll\$4)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 12:29 |
| S50 | 0 | (guest near1 change\$3 with code\$3) and (resgist\$3)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 12:30 |
| S51 | 0 | (guest near1 reset\$3 with code\$3) and (resgist\$3)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 12:30 |
| S52 | 4 | (guest near1 reset\$3 with code\$3) and (central)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/29 16:23 |
| S53 | 1 | ("5979754").PN. | USPAT; USOCR | OR | OFF | 2005/09/29 16:27 |
| S54 | 0 | ("(guest\$1with(timenear2access\$3))and@ad<=20001026").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/09/29 16:29 |
| S55 | 7 | (guest\$1 with (time near2 access\$3)) and @ad<="20001026" | USPAT | OR | OFF | 2005/09/29 16:30 |
| S56 | 13 | (guest\$1 same (time near2 access\$3)) and (access\$3 with door\$1 or gate\$1)and @ad<="20001026" | USPAT | OR | OFF | 2005/09/29 16:59 |
| S57 | 1 | ("5979754").PN. | USPAT; USOCR | OR | OFF | 2005/09/29 18:07 |
| S58 | 1 | ("6006258").PN. | USPAT; USOCR | OR | OFF | 2005/09/29 18:07 |
| S59 | 1 | ("6697368").PN. | USPAT; USOCR | OR | OFF | 2005/09/30 10:02 |
| S60 | 1 | ("20020152305").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/09/30 10:04 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S61 | 572 | (router with blade\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:05 |
| S62 | 7 | (router with blade\$1)with packet\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:19 |
| S63 | 0 | (router with blade\$1)with packet\$1 with session\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:19 |
| S64 | 0 | (router with blade\$1)with packet\$1 same session\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:19 |
| S65 | 0 | ((router with blade\$1)with packet\$1)same session\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:20 |
| S66 | 0 | ((router with blade\$1)same packet\$1)same session\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:20 |
| S67 | 0 | ((router with blade\$1))same session\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:20 |
| S68 | 0 | ((router\$1 with blade\$1))same session\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:20 |

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S69 | 87 | ((blade\$1))same session\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:20 |
| S70 | 2 | ((blade\$1))same (transport\$3 with session\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:21 |
| S71 | 41 | ((blade\$1))with (session\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:21 |
| S72 | 0 | ((blade\$1))with packet\$1 with (session\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:22 |
| S73 | 0 | ((blade\$1))with digital with (session\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:22 |
| S74 | 0 | ((blade\$1))same digital with (session\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 10:22 |
| S75 | 4 | ((blade\$1))with server\$1)same (session\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:37 |
| S76 | 0 | (blade\$1 with distribut\$3 near1 software\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:38 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S77 | 0 | (blade\$1 same distribut\$3 near1 software\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:38 |
| S78 | 0 | (blade\$1 same download\$1 near1 software\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:39 |
| S79 | 0 | (blade\$1 same cast\$1 near1 software\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:39 |
| S80 | 1 | (blade\$1 same download\$3 with software\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:40 |
| S81 | 4714 | (distribut\$3 near1 software\$1) and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:40 |
| S82 | 0 | (distribut\$3 near1 software\$1)with blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:40 |
| S83 | 0 | (distribut\$3 near1 software\$1)same blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:40 |
| S84 | 54 | (distribut\$3 near1 software\$1) and blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:41 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S85 | 32 | (download\$3 near1 software\$1) and blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:42 |
| S86 | 1 | (download\$3 near1 software\$1) with blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:42 |
| S87 | 7259 | (download\$3 near1 software\$1) sameblade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:42 |
| S88 | 1 | (download\$3 near1 software\$1) same blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:42 |
| S89 | 2 | (download\$3 near1 software\$1) same backplan\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:44 |
| S90 | 1 | (download\$3 near1 data\$1) with blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:45 |
| S91 | 15 | (distribut\$3 near1 data\$1) with blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:46 |
| S92 | 18 | (distribut\$3 near3 data\$1) with blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:47 |

| | | | | | | |
|------|-----|--|---|----|----|------------------|
| S93 | 0 | (data\$1) with from near1 blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:47 |
| S94 | 0 | (data\$1) with from near4 blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:47 |
| S95 | 0 | (data\$1) same from near4 blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:47 |
| S96 | 655 | server\$1 with distribut\$3 near1 software\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:48 |
| S97 | 2 | (server\$1 with distribut\$3 near1 software\$1) and blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:50 |
| S98 | 1 | (distribut\$3 and software\$1).ti. and blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:51 |
| S99 | 15 | (distribut\$3 and software\$1).ab. and blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:53 |
| S100 | 0 | (software\$1 near2 provider\$1).ab. and blade\$1 and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:53 |

| | | | | | | |
|----------|-------|--|---|----|-----|------------------|
| S10 1 | 194 | (software\$1 near2 provider\$1).ab. and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:53 |
| S10 2 | 11 | (software\$1 near2 provider\$1).ab. and broadcast and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 12:31 |
| S10 3 | 2 | (software\$1 near2 deliver).ab. and broadcast and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:55 |
| S10 4 | 1 | (software\$1 near2 deliver\$3)and blades and broadcast and @ad<="20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 11:55 |
| S10 6 | 0 | ("20020152305").PN. | USPAT; USOCR | OR | OFF | 2005/09/30 12:31 |
| S10 7 | 1 | ("20020152305").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/09/30 13:17 |
| S10 8 | 23669 | blade\$1 with object\$1 | USPAT | OR | OFF | 2005/09/30 13:18 |
| S10 9 | 0 | ("20030097428").PN. | USPAT; USOCR | OR | OFF | 2005/09/30 13:43 |
| S11 0 | 1 | ("20030097428").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/09/30 14:26 |
| S11 1 | 1 | ("6697368").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/09/30 14:27 |
| S11 2 | 1 | ("20020152305").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/09/30 15:23 |
| S11 3 | 568 | (DTMF same playback) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 15:23 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S11 4 | 0 | (DTMF near1 detector\$1 same playback)with (media or multimedia) and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 15:25 |
| S11 5 | 21 | (DTMF near1 detector\$1 same playback)and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 15:26 |
| S11 6 | 12 | (DTMF near1 detector\$1 with playback)and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 16:50 |
| S11 7 | 0 | (VAD near1 detector\$1 with playback)and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 15:31 |
| S11 8 | 0 | (VAD near2 detector\$1 with playback)and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 15:31 |
| S11 9 | 153 | (session\$1 with SIP with packet\$1)and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 16:55 |
| S12 0 | 0 | (session\$1 with SIP with packet\$1) same blade41 and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 16:55 |
| S12 1 | 0 | (session\$1 with SIP with packet\$1) with blade41 and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 16:55 |

| | | | | | | |
|----------|----------|---|---|----|----|------------------|
| S12 2 | 0 | (session\$1 with SIP with packet\$1) with blade\$1 and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 16:55 |
| S12 3 | 0 | (session\$1 with SIP with packet\$1) same blade\$1 and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 16:55 |
| S12 4 | 22383799 | (session\$1 with SIP with packet\$1) same downloadand @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 16:56 |
| S12 5 | 0 | (session\$1 with SIP with packet\$1) same download\$3 and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 16:56 |
| S12 6 | 33 | (session\$1 with SIP with packet\$1) and download\$3 and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 17:06 |
| S12 7 | 8 | (session\$1 near1 control\$3 with SIP with packet\$1) and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 17:01 |
| S12 8 | 0 | (session\$1 near1 control\$3 with SIP with data near1 packet\$1) and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 17:01 |
| S12 9 | 0 | (session\$1 near1 control\$3 with SIP with data near4 packet\$1) and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 17:01 |

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S13 0 | 0 | (session\$1 near1 control\$3 with SIP with message\$1 near4 packet\$1) and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 17:02 |
| S13 1 | 20 | (session\$1 with SIP with MGCP) and download\$3 and @ad<"20020524" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/30 17:06 |
| S13 2 | 93 | (Keys with admini\$4) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 06:22 |
| S13 3 | 12 | (Keys with admini\$4) and (database with associat\$3)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 06:26 |
| S13 4 | 25 | (Keys with admini\$4) and (key\$1 with function\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 06:27 |
| S13 5 | 0 | (Keys with admini\$4) and (door near1 key\$1 with function\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 06:27 |
| S13 6 | 7 | (gate or door) and (Keys with admini\$4) and (key\$1 with function\$1)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/23 07:46 |
| S13 7 | 1 | ("20030208612").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/01/23 07:46 |
| S13 8 | 26 | (meta near1 server)and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 14:31 |

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S13 9 | 10 | (meta near1 server) and key and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 14:56 |
| S14 0 | 26 | (meta near1 server) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:08 |
| S14 1 | 53 | multi near tiered near1 server and plural\$4 and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:09 |
| S14 2 | 0 | multi near1 tiered near1 server same plural\$4 near1 servers and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:10 |
| S14 3 | 0 | multi-tiered near1 server same plural\$4 near1 servers and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:10 |
| S14 4 | 1 | multi-tiered same plural\$4 near1 servers and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:12 |
| S14 5 | 321 | control\$3 with plural\$4 near1 servers and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:12 |
| S14 6 | 4 | meta and control\$3 with plural\$4 near1 servers and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:15 |

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S14 7 | 4 | meta with plural\$4 near1 servers and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:18 |
| S14 8 | 11 | meta with plural\$4 near1 databases and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:47 |
| S14 9 | 8 | (meta with address\$3 with referenc\$3) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 15:51 |
| S15 0 | 201 | (meta with address\$3) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:00 |
| S15 1 | 2122 | (director\$3 near2 server) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:00 |
| S15 2 | 131 | (director\$3 near2 server with plurality) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:02 |
| S15 3 | 207 | (director\$3 with meta) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:03 |
| S15 4 | 6 | (director\$3 with meta with address) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:04 |

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S15 5 | 3 | (meta with address with plurality near3 systems) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:05 |
| S15 6 | 1 | (meta with address near1 table) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:12 |
| S15 7 | 17 | (control with meta with address\$3) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:13 |
| S15 8 | 24 | (control\$3 with meta with address\$3) and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:22 |
| S15 9 | 1 | ("6269365").PN. | USPAT; USOCR | OR | OFF | 2006/01/24 16:30 |
| S16 0 | 0 | ("metaadjserver").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/24 16:30 |
| S16 1 | 33 | meta adj1 server | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:31 |
| S16 2 | 3 | meta adj1 server with address\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:37 |
| S16 3 | 39 | meta adj1 server sameaddress\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:37 |

| | | | | | | |
|----------|----------|---|---|----|----|------------------|
| S16 4 | 6 | meta adj1 server same address\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:46 |
| S16 5 | 19837690 | meta adj1 server same rout\$4 @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:47 |
| S16 6 | 0 | meta adj1 server same rout\$4 near1 information and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:48 |
| S16 7 | 2 | meta adj1 server with rout\$4 and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:51 |
| S16 8 | 2 | meta adj1 server same rout\$4 and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:52 |
| S16 9 | 0 | meta adj1 server with plurali\$4 near2 hosts and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:53 |
| S17 0 | 0 | meta adj1 server same plurali\$4 near2 hosts and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:53 |
| S17 1 | 2 | meta adj1 server same plurali\$4 and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:54 |

| | | | | | | |
|----------|----|---|---|----|----|------------------|
| S17 2 | 10 | meta adj1 server and @ad<="20001026" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/24 16:54 |
|----------|----|---|---|----|----|------------------|